



Curbing Strategies towards Attention Deficit Hyperactivity Disorder (ADHD) Among Senior Secondary School Students in Ikwerre Local Government Area of Rivers State, Nigeria: Implication for Curriculum Planners

Stanley N. N. Mandah

Department of Curriculum Studies and Instructional Technology
Ignatius Ajuru University of Education, Nigeria
stanleymandah@yahoo.com

Juliana Isa Mohammed

Department of Curriculum Studies and Instructional Technology
Ignatius Ajuru University of Education, Nigeria
julieisa3@gmail.com

Abstract

This study investigates curbing strategies towards attention deficit hyperactivity disorder (ADHD) among senior secondary school students in Ikwerre Local Government Area of Rivers State, Nigeria: An implication for curriculum planners. The researchers adopted descriptive research design. The study had three (3) research questions and two (2) hypothesis. The population consists of 13,950 senior secondary school students in the thirteen (13) public senior secondary schools in the Local Government Area under study. Taro Yamen's formula for determination of sample size was used to obtain a target population of 400 as sample size with the aid of the stratified random sampling technique. The SNAP-IV ADHD rating scale and DBDRS developed by Swansen Nolan and Pelham was used as research instrument renamed as characteristics behaviour and factors responsible for attention deficit hyperactivity disorder questionnaire (CBFRADHDQ). The instrument was validated by experts in the field of measurement and evaluation. The reliability coefficient value of 0.65 to 0.92 was established through Pearson's Product Moment Correlation co-efficient. The data was analyzed through mean and standard deviation for the research questions and t-test for the hypothesis. The study revealed that the factors responsible for ADHD ranged from nature to nurture, genetic/neurological factors and environmental factors among others. It was also confirmed as part of the findings that, the use of disciplinary measures in the school such as; introduction of behaviour modification therapist, structure and stimulus reduction in class, cognitive training, family counselling and teacher training, medications and others as part of the curbing strategies. It was therefore recommended that curriculum planners and teachers in the field of all public schools as a matter of urgency should diagnose to understand students with ADHD in their class and handle them accordingly.

Keywords: Curbing Strategy, Deficit Hyperactivity Disorder (ADHD), Curriculum, Planners.

Reference to this paper should be made as follows:

Mandah, S. N. N., & Mohammed, J. I (2020). Curbing strategies towards attention deficit hyperactivity disorder (ADHD) among senior secondary school students in Ikwerre local government area of Rivers State, Nigeria: implication for curriculum planners. *International Journal of Scientific Research in Education*, 13(3), 541-557.

Copyright © 2020 IJSRE

INTRODUCTION

Education constitutes the overall development of the worth of an individual in specific and the society in general. Through education an individual is prepared for useful living, sound, effective and integrated into the society. Education moulds the child or learner into appropriate desirable behaviour. It is on this premise that education focuses on the learner to be physically, emotionally and all round readiness to learn with good and sound frame of mind. It also means that for learners to achieve the school should provide an enabling learning environment that will cater for all learners in an inclusive education with the aim of attending to different special needs of the learners in order to reduce and manage learning disabilities of the learners. Learning disabilities is a problem that impedes learning at all levels and then affects their schooling and adjustment to society (Lerner, 2011).

The National Joint Committee on Learning Disabilities NJCLD (1998) identified a learner with disability on the ground that an evaluation team discovered a server discrepancy between the student achievement and intellectual ability in one or more of several areas, such as oral expression, listening, comprehension, writing expression, basic reading skills, reading comprehension, mathematics, calculation and reasoning. The learning disabilities according to NIMH (2008) stated that it affects people from different stages of life, such as pre-schoolers, elementary-age students, adolescents and adults manifest different problems and characteristics yet no individual will exhibit all characteristics. From the ongoing, it has been observed that the age range has expanded over the years and each age group requires different interventions and teaching strategies since certain disabilities are more prevalent than others at a particular ages. It has been observed from researches that there are as many girls with learning disabilities as there are boys (NIMH, 2008).

Lerner (1993) commenting on learning disability stated that the notion of multiple intelligences suggests that students with learning disabilities have other kinds of intelligences not recognized by schools. The percentage of children with learning disabilities in school are 5.6 percent for ages 6 and 21. More students are presently classified as having learning disabilities as well as adolescents and adults in the society. Larry (1999) stated that twenty percent (20%) of children with learning disabilities also have Attention Deficit Hyperactive Disorder (ADHD). That ADHD is a common co-occurring condition for children with learning disabilities. It is the most commonly diagnosed behavioral problem in school children which affect their learning in a conventional school setting. Janet (2011) in his research confirmed that “between 25 and 40 percent of the children with disabilities have co-occurring ADHD.

ADHD can be conceived as a condition of the brain that makes it difficult for children to control their behavior in school and social settings. It is one of the most common chronic conditions of childhood and affects between 4 and 12 percent of all school age children”. Agomoh (2011) opined that “the case of ADHD is about three times more of boys than girls are diagnosed. For such diagnosed cases the children forget homework, daydream during class, act without thinking, get fidgety at the dinner table. Thus other symptoms as in attention, impulsivity and hyperactivity are not in exception. The ADHD can pose problems at home and school based, on this some learners are referred to mental health professionals. While it is considered as most prevalent problems of childhood, Grant 1995 stated that the consensus of professional opinion is that approximately 3 to 5 percent of children have ADHD and that this translates to many as two million school age children. It is on this premise that the researchers are interested in finding out

the factors responsible for ADHD among secondary school students in Ikwerre Local Government Area of Rivers State”

Statement of the Problem

Learners are always active, they try to get ready whenever they are learning. One of the factors that can have a substantial impact on their academic performance and their degree of motivation is attention deficit hyperactive disorder (ADHD). This debilitating neurobiological disorder affects child’s ability to focus and control his behaviour contributing significantly to the child’s daily progress and performance in the classroom as such school literally becomes a stacked deck for the child with ADHD. The council for exceptional children indicates that nearly 10 percent of school-aged children struggle with ADHD. The majority of these students also have some sort of academic learning disability. So their inability to sit still in class is complicated by their difficulty in mastering the content of the curriculum; which is pertinent to curriculum planners and instructional designers. Thus, it has been observed that children with ADHD tend to fool at a rate of 250 percent higher than their peers without ADHD, and nearly half of them will be required to repeat a class.

The frustration these ADHD learners face is exacerbated by the fact that the skills that they lack are precisely the skills they need to excel academically in school, as such the ADHD children are often exceedingly bright, but unaware of the discrepancy between their potential and their academic performance. Bynum (2002) commenting on ADHD traced the nature and nurture theory to a psychologist Francis Galton (1869), who referred to biological and genetic constitution to impact on human traits and influences from ones environment which interferes with human proper development. There could be other related factors that actually exist. Thus the research is to consider teacher’s perception of the characteristic behaviour and factors responsible for ADHD among students in a particular local government area, in which the result will act as an implication for curriculum planners, instructional designers and special needs education.

Significance of the Study

The result of the study will be of immense benefit to the special needs child with ADHD, government, parents, school administrators/proprietors, secondary school teachers in both special, general and inclusive schools. It will guide the special needs educator as baseline information which will help him develop better strategies to handle students based on identified factors. The result will guide the government to ensure the implementation of the objectives of national policy on education for exceptional children or children with special needs by supplying or providing the available statistics needed. It will encourage proprietors to use the information obtained from the research to map out ways of tackling the learning disorder associated with ADHD. Policies will be formulated based on the result obtained on the understanding, management and integration of such individuals in the society. The result will enhance curriculum planners and instructional designers on the content of the curriculum and instructional materials that can be utilized in teaching and learning of ADHD students. The information contained in this study will act as a reference material for future researchers.

Purpose of the Study

The purpose of the study is to investigate the teachers perception of characteristics behaviour and factors responsible for deficit hyperactivity disorder (ADHD). In specific terms the study will consider the following:

- Identify the curbing strategies employed by students living with ADHD in the Local Government Area under study.
- To identify the factors responsible for ADHD among secondary school students in Ikwerre Local Government Area of Rivers State.
- Determine the abnormal behavioral pattern of secondary school students living with ADHD in Ikwerre Local Government Area of Rivers State.

Research Questions

- What are the strategies employed to curb ADHD among senior secondary school in Ikwerre Local Government Area of Rivers State?
- What are the factors responsible for ADHD among secondary school students in Ikwerre Local Government Area of Rivers State?
- What are the abnormal behavioural patterns of secondary school students living with ADHD in the local government area under study ?

Research Hypotheses

The following hypotheses stated in the null form are formulated to guide the study.

- There is no significant difference between factors responsible for ADHD and school location (rural and urban) in Ikwerre Local Government Area.
- There is no significant difference between factors responsible for ADHD and gender status (male and female) in Ikwerre Local Government Area.

Study Area

This study was conducted in Ikwerre Local Government Area of Rivers State in Nigeria and African continent. The local government is one of the 23 local governments in Rivers State with Port Harcourt Local Government as the headquarters of the state. It is situated in the southern part of Nigeria. It is bounded by four local governments namely: Eleme on the East, Asari-Toru on the West and Okirika on the South. The inhabitants speak mainly Ikwerre and English language. There exist inflow and outflow movements of people. It is one of the mainland local governments in the state. The local government is made up of 13 secondary schools both in the rural and urban areas. Census of 2016 showed that people constituted the entire populations of 265,400 from Wikipedia.

REVIEW OF RELATED LITERATURE

The Concept of Attention Deficit Hyperactivity Disorder

The ADHD or Attention Deficit Hyperactive Disorder (ADHD) is a condition of the brain that makes it difficult for children or carriers to control their behaviour in school and social settings. About three times more boys than girls are diagnosed with ADHD. Two different terms are used to refer to this condition, firstly, Attention Deficit Disorder (ADD) is used by the U.S Department of Education and many of the schools and secondly Attention Deficit Hyperactivity disorder (ADHD) is taken from the diagnostic criteria in the diagnostic and statistical manual of mental disorders. Thus ADD/ADHD affects children in all areas, disrupting the child's home, life education, behaviour and social life.

At school they have difficulty completing class work, they lack valuable information. Their social interaction can be compromised by their impulsiveness, hyperactivity and inattention, hindering their ability to make and maintain friendship.. Research suggests that the prevalence rate is equal for boys and girls but boys are more likely to be identified. The problem exhibited by such children makes them require special attention. Thus, children with these disorders are eligible for special education services and can be identified or placed under one of the categories of special education such as – learning disabilities, behavioural and emotional disorders and other health impairments.

Types of Attention Deficit Hyperactivity Disorder

According to American Psychiatric Association 1994, under the diagnostic and statistical manual of mental disorder

- Type A, primary inattentive (ADHD-1A) children with this type have primary problems with attention.
- Type B, primary hyperactivity and impulsive (ADHD-H1) individuals with this type display hyperactivity and impulsivity behaviour but do not manifest problem with attention.
- Types C, a combination of ADH-1A and ADHD H1 (ADHDC) individuals with this type have both attention problems and display hyperactivity and impulsivity behaviours. They all have the common symptoms as explained above, except in some special cases”.

Behavioral Pattern of Children with ADHD

Weiner (2003) classified attention deficit hyperactive disorder as a disruptive behaviour, deficit disorder conduct disorder and anti-social, the following symptoms may be present in ADHD:

- The disorder must appear before the age 7.
- It must continue for at least six months.
- The symptoms must also create a real disability in at least two of the following area of the child's life (a) in the classroom (b) at home (c) on the playground (d) in the community (e) and/or social settings.

Lerner (2003) observed that “most common symptoms of ADHD include, distractibility, poor concentration and focus, short term memory, spillage, procrastination, difficulties in organizing ideas and belongings”. From what has been observed, “the symptoms of ADD/ADHD change at different stages of life; young children, elementary school children, teenagers and adults tend to exhibit different sets of behaviors. Older hyperactive children can be extremely restless and nervous. They are likely to speak too much in class and constantly fight friends, siblings and classmates (Agomoh, 2005). In adolescents, “hyperactivity may no longer present itself but may diminish but other symptoms may appear such as behaviour problems in form of low self-esteem, inattentiveness or even depression.

ADHD and Gender

ADHD is diagnosed approximately three times more often in boys than girls, although the disorder is often overlooked in girls due to their symptoms from those of boys (Singh, 2008). Thus about 20-50% of people diagnosed in childhood continue to have symptoms into adulthood and between 2-5% of adults have the condition” (NCCMH, 2008). ADHD is more common in males than females. However, in adolescents and adults ADHD manifest in many forms, in children ADHD is increasingly being diagnosed in teenagers and adults (Faraone, 2001). Many adult cases are former ADHD children who have grown up and continue to show signs of an attention disorder. However increasing numbers of ADHD diagnoses are being made in adults who were not diagnosed as children.

Factors Responsible for Attention Deficit Hyperactivity Disorder (ADHD)

ADHD is the most commonly diagnosed behavioural problem which affects five to twelve percent of all children. Most recently, the center for diseases and control has described it as a common childhood neuro-development condition with reported prevalence rate of 10% which reflects an increase over the past few years (CDC, 2017). The following group of factors has been speculated in literatures to also be responsible for ADHD such as:

- Hereditary and neurological factors
- Maternal health, birth injury or oxygen deprivation at birth.
- Brain injury or head trauma
- Medications and medical illnesses.
- Socio-economic/environmental factors

Strategies Employed to Curb ADHD

ADHD, its diagnosis and treatment have been controversial since the 1970s. This controversies involved clinicians, teachers, policy makers, parents and the media. Their positions ranged from the view that ADHD is within the normal range of behaviour to the hypothesis that ADHD is a genetic condition. Other areas of controversy include “the use of stimulant medications in children, the method of diagnosis and the probability of over diagnosis. In 2009, the National Institute for Health and care excellence, while acknowledging the controversy, states that “the amount treatments and methods of diagnosis are based on the dominant view of the academic literature” (Schwartz, 2013). Grant Martin in his book “hyperactive child” 1997 remarked that

“ADHD is managed not cured. Treating ADHD will not make it go away but it can improve a child’s chances for avoiding many of the long term problems associated with ADHD.

Treatment of ADHD does not consist only in connecting a problem within the child; although the child is the focal point, self-management and self-control are crucial objectives for the child with ADHD, as such family members and teachers must also be willing to look at how their actions impact child’s difficulties with impulsivity and inattention by modifying their behaviour in line with the child and altering his environment positively to obtain a better fit. Because each ADHD child requires a different plan treatment that must be multidimensional and multifaceted and an evaluation should be comprehensive. The management of this disorder involves a combination of methods. This includes special education services, behaviour modification, medication management, family counselling and teachers training (Lerner, 1993) many authorities also recommended the use of cubicles in the classroom to reduce extraneous or environment distractions. Cognitive training is also recommended for dealing with ADHD (Agomoh, 2012).

However, Grant (1997) suggested some approaches for managing children with ADHD these are: structure and stimulus reduction, behaviour modification, cognitive training and medication. Grant (1997) also commented that tranquilizers, anti-depressants, even anti-histamines have been prescribed for ADHD while recently some cases are treated with stimulant drugs. However, the most commonly used drugs are methylphenidate (Ritatin) pemoline (cylert), dextroamphetamine (dexederine and a mixture of several amphetamines (Schwartz, 2013).

Curriculum Planners and Essential Classroom Needs of an ADHD Child

The result of this study will inform the curriculum planners to take cognizance of the learning experience to be attained by the child, the method, technique to attain the specific objective of the lesson. Grant (1997) suggested the following to be the essential classroom needs of an ADHD child in line with the journal, Teaching Children with Attention Deficit Hyperactivity Disorder; a resource guide for teachers;

- Clearly specified rules, expectations, and instructions
- Frequent, immediate, and consistent feedback on behaviour and noncompliance
- Reasonable and meaningful consequences for both compliance and non-compliance
- Programming and adult intervention designed to compensate for the child’s distractibility, limited organizational skills, and low frustration tolerance.
- A well-integrated and functioning team of parents, teachers, administrators and clinicians who communicate often and work together to create a structured and supportive environment.

Methods for Teaching Students with ADHD

To accommodate children with ADHD teachers must provide ways of managing the three primary traits of ADHD inattention, impulsivity and hyperactivity. Since most students with ADHD are in the general education class, it is important for both the special teacher and the general education classroom teacher to use these methods for the children in their classes (Lerner, 1993):

- Increasing attention requires students with ADHD to be alert, steady and motivated for the lesson followed by the second phase of focusing attention requiring vigilance and the energy to examine problems carefully and the third phase of sustaining attention with ADHD students learning to concentrate on an extended period of time.
- Managing impulsivity; this is done by checking the impulsive child physically and verbally during physical education period and verbal interactions with others.
- Reducing hyperactivity; by providing opportunities for moving about the be active in the classroom”.

The study is linked to Sir Francis Galton’s nature and nurture theory of (1822-1911). The science of nature and nurture was first developed by Francis Galton a cousin of Charles Darwin in 1895 and it suggest that heredity and environment exposures contribute more to behavioral traits like criminality and intelligence. Human behavioural development is thought to be affected by both people’s natural deposition and the environment in which they are raised. Also a person’s gene or personal life affects the behaviour. Nature is influenced by genetic inheritance and other biological conditions while nurture is the influence of external factors after conception. The theory in this modern time discusses the influence of heredity and environment on advancement of persons and their adjustment to the society. ADHD is a natural neurological disorder in which its manifest is influenced by age, sex, psychological makeup, as well as social and cultural factors. Similarly, Grant (1997) summarized the causes of ADHD to be hereditary, neurological factor, genetic brain injury, birth injury, drugs and alcohol in the parental environment to correspond with Francis Galton nature theory. A related study was taken by Grant (1997) on the essential classroom needs of an ADHD child. In which specification were made on how to equip the classroom. Students have been carried out in other means but it appears no study on ADHD has been carried out in this local government and that is the gap to be filled.

Research Method

The research design for this study was the descriptive survey design. The population of the study was made up of 13 senior secondary schools in Ikwerre Local Government Area of Rivers State with a population of 13,500 students as a reflection of the number of parents and about 450 teachers. Out of the 13 public secondary schools listed by the zonal board; Taro Yamane’s formula for sample size was substituted with the 13,950 population to get approximately 400 sample size. Parents of two hundred (200) students of adolescent ages (male and female) and two hundred (200) teachers were therefore sampled using stratified random sampling technique for teachers and probability sampling method for parents due to some of them are illiterate. Out of 400 respondents, 214 made up of male and 170 female this make up 384 respondents while the other 16 had the their questionnaire mutilated.

The instrument for data collection was a modified questionnaire adapted from SNAP IV ADHD rating scale and DBDRS (Disruptive Behavioural Disorder Rating Scale) developed by Swansen, Nolan and Pelhum (2017) titled Characteristics Behaviour and Factors Responsible for Attention Deficit Hyperactivity Disorder Questionnaire (CBFRADHDQ) Among Secondary School Students in Ikwerre L.G.A. The section A of the questionnaire consists of information on personal data of the respondents while section B elicits information on curbing strategies and factors responsible for ADHD among secondary school students in Ikwerre L.G.A of Rivers State. All test questions make use of four point Likert scale type of response mode ranging from

Strongly Agree (SA=4), Agree (A=3), Disagree (D=2) and Strongly Disagree (SD=1). Respondents were expected to carefully read the statement by placing a tick on one of the four response alternatives. The face and content validity of the instrument were ensured using experts in measurement and evaluation.

The reliability of the FADHDQ was determined by the use of test-retest procedure, pilot tested using 20 teachers and 20 parents randomly sampled from outside the area of the study. An interval of one week was allowed between the two test administered. The scores of the subjects on the two tests were obtained and subjected to Pearson Product Moment Correlation Coefficient and a score of 0.70 was obtained which was considered high enough to justify the use of the instrument for the study. Mean and standard deviation were used to analyze the research questions. T-test was used to test the hypotheses at 0.05 level of significance. Rank order was employed in discussion of findings to give hierarchy of items.

RESULTS

Research Question One: What are the strategies employed to curb ADHD among senior secondary school students in Ikwerre Local Government Area of Rivers State”?

Table 1: Mean and SD for strategies employed to curb ADHD

S/N	The following are strategies employed to curb attention deficit hyperactivity disorder among secondary school students	SA	A	D	SD	CR	N	Mean \bar{X}	SD \bar{X}	Rank Order	Decision
1	The introduction of a special needs educator in the school to monitor students with ADHD	12	101	83	188	705	384	1.84	6.78	10 th	“Strongly Disagree
2	Use of disciplinary measures in the school	125	188	58	13	1193	384	3.11	0.88	2 nd	Strongly Disagree
3	Introduction of behaviour modification therapists in the school	101	128	86	69	1029	384	2.68	0.82	7 th	Agreed
4	Structure and stimulus reduction in the classes	94	156	100	34	1079	384	2.81	0.83	5 th	Agreed
5	Cognitive training of the students by the teachers	107	128	80	69	1041	384	2.71	0.82	6 th	Agreed
6	Family counselling and teachers training	87	202	65	30	1114	384	3.20	0.89	4 th	Strongly Disagree
7	Medications like antidepressants, tranquilizers and anti-histamines have been prescribed in use for students with this ADHD	43	191	104	46	999	384	2.60	0.81	8 th	Agreed
8	Removal of food addictive/control of blood sugar level	102	198	57	27	1143	384	2.98	0.87	3 rd	Agreed
9	Psychotherapy (counselling) of students	133	176	70	25	1225	384	3.19	0.89	1 st	Strongly Disagree
10	Social skills training in school have been used to manage students with ADHD	88	109	107	80	973	384	2.53	0.79	9 th	Agreed”

Aggregate Mean = 27.65

Grand Mean = 2.78

Table 1 focused on the strategies employed to curb attention deficit hyperactivity disorder. It also shows that out of the 15 items used to test the strategies employed to curb ADHD among senior secondary school students in Ikwerre L.G.A, three 2, 6 & 9 of the items had mean score of above 3.00 which was strongly accepted to be above criterion mean of 2.50 while only six items 3, 4, 5, 7, 8 & 10 had criterion mean a little above from the table mean and are therefore also accepted as the strategies employed to curb ADHD among secondary school students in Ikwerre Local Government Area of Rivers State. But one test item strongly disagreed with the decision rule by mean and standard deviation (SD) of 1.84 and 6.78 against the accepted criterion mean of 2.50. This rejected item was the introduction of special needs educator in the school as strategy to curb ADHD among secondary school students. therefore the grand mean score of 2.78 showed that the strategies employed to curb ADHD among secondary school students in Ikwerre L.G.A include: use of disciplinary measures in the school, introduction of behaviour modification therapist in the school, structure and stimulus reduction in class, cognitive training, family counselling and teachers training, medications, removal of food additives/control of blood sugar, psychotherapy.

Research Question Two: What are the factors responsible for ADHD among secondary school students in Ikwerre Local Government Area of Rivers State”?

Table 2: Mean and SD for factors responsible for ADHD

S/N	The following describes the factors responsible for ADHD among secondary school students in Ikwerre L.G.A	SA	A	D	SD	CR	N	Mean \bar{X}	SD \bar{X}	Rank Order	Decision
1	Illnesses and medications are often noticed in them	85	106	104	89	955	384	2.48	0.79	13 th	Disagreed
2	They are easily influenced by peer group	213	102	50	19	1296	384	3.38	0.92	3 rd	Strongly Agreed
3	They react to parental frustrations and negative reactions	160	149	35	40	1177	384	3.07	0.88	7 th	Strongly Agreed
4	They are influenced by environmental factors like drugs and alcohol	138	197	28	21	1199	384	3.12	0.99	5 th	Strongly Agreed
5	Lack of conducive learning environment frustrates them	238	84	50	12	1316	384	3.43	0.93	1 st	Strongly Agreed
6	Hereditary and genetic bases are contributory factors to ADHD	122	168	60	34	1146	384	2.98	0.86	9 th	Agree
7	Diseases like epilepsy and seizures affects them	68	102	160	54	952	384	2.47	0.79	14 th	Disagreed
8	Brain injury or head trauma are major role players in the disorder	190	110	40	44	914	384	2.38	0.77	15 th	Disagreed
9	Premature birth or forceps delivery contributes to the disorder	108	175	66	35	974	384	2.53	0.79	12 th	Agreed
10	High intake of sugar and glucose influences them	114	132	88	50	1074	384	2.80	0.70	10 th	Agreed
11	Fatal exposure to toxic substances may also be responsible for ADHD	104	201	62	17	1160	384	3.02	0.87	8 th	Strongly Agreed
12	Excessive alcohol intake leads to ADHD	128	204	28	24	1204	384	3.13	0.88	4 th	Strongly Agreed
13	Oxygen deprivation at birth, maternal health may be the responsible for ADHD	135	177	40	32	1183	384	3.08	0.87	6 th	Strongly Agreed

14	Neurological factors are common causes associated with ADHD	206	137	36	5	1312	384	3.42	0.93	2 nd	Strongly Agreed
15	Poor parenting, problems in family life is responsible for ADHD	122	104	100	58	1058	384	2.75	0.83	11 th	Agreed

Aggregate Mean = 47.94

Grand Mean = 2.94

Table 2 is on the factors responsible for ADHD, it also shows that out of 15 items used to test the factors responsible for ADHD among secondary school students in Ikwerre L.G.A; eight of the items 2, 3, 4, 5, 11, 12, 13, & 14 had mean scores of 3.00 and above each which was strongly accepted to be above criterion mean of 2.50 while four of the items 6, 9, 10 & 15 had mean scores of 2.00 and above the criterion mean and are also accepted as the factors responsible for ADHD among secondary school students in Ikwerre Local Government Area of Rivers State. However, three of the items number 1, 7 & 3 could not pass the criterion test of 2.50 and was therefore rejected as factors responsible for ADHD among secondary school students in Ikwerre L.G.A. These rejected test items were illnesses and medications are often noticed in them, diseases like epilepsy and seizures affects them, brain injury or head trauma are major role players in the disorder respectively. Therefore the grand mean score of 2.94 showed that the factors responsible for ADHD among secondary school students in Ikwerre L.G.A include: environmental factors, hereditary and genetic bases, parental frustrations, premature birth of forceps delivery, fatal exposure to toxic substances, neurological factors and poor parenting style, maternal health and high intake of sugar.

Research Question Three: What are the abnormal behavioural patterns of secondary school students living with ADHD in the local government area under study?

Table 3: Mean and SD for abnormal behavioural patterns

S/N	The following are abnormal behavioural pattern of secondary school students living with ADHD	SA	A	D	SD	CR	N	Mean \bar{X}	SD \bar{X}	Rank Order	Decision
1	“They have difficulty sitting still, playing quietly or relaxing	100	204	60	20	1044	384	2.72	0.82	15 th	“Agree
2	They frequently lose or misplace homework, books, or other items	167	182	20	15	1269	384	3.30	0.91	5 th	Strongly Disagree
3	They move around constantly, often run or climb inappropriately	163	109	90	22	1181	384	3.08	0.88	12 th	Strongly Disagree
4	They talk excessively and do not seem to listen when spoken to directly	173	140	65	6	1248	384	3.25	0.90	7 th	Strongly Disagree
5	They have trouble staying organized, planning ahead and finishing projects	130	201	40	13	1216	384	3.17	0.89	9 th	Strongly Disagree
6	They have a quick temper or short fuse	189	177	11	7	1316	384	3.43	0.93	3 rd	Strongly Disagree
7	They constantly fidget and squirm	154	103	81	46	1133	384	2.95	0.86	4 th	Agree
8	They are often emotional when responding to stress	131	164	54	35	1159	384	3.02	0.87	13 th	Strongly Disagree
9	They are inattentive, the quiet dreamer who sometime sit at desk and stare into space	241	104	25	14	1340	384	3.49	0.83	1 st	Strongly Disagree
10	They are inattentive, hyperactive and impulsive	123	196	52	13	1197	384	3.12	0.88	10 th	Strongly Disagree

11	They often blurt out answers before questions have been completed	173	144	40	27	1231	384	3.21	0.89	8 th	Strongly Disagree
12	They act impulsively without thinking and intrude on other peoples conversations or games	221	84	40	39	1255	384	3.27	0.91	6 th	Strongly Disagree
13	They have trouble staying focused, easily distracted or get bored with a task before it is completed	197	152	20	15	1299	384	3.38	0.92	4 th	Strongly Disagree
14	They often interrupt other, say the wrong thing at the wrong time	159	142	52	31	1197	384	3.12	0.88	10 th	Strongly Disagree
15	They don't have the ability to keep powerful emotions in check resulting in angry outburst or temper tantrums"	184	185	12	3	1318	384	3.43	0.93	2 nd	Strongly Disagree"

Aggregate Mean = 47.94

Grand Mean = 3.20

Table 3 shows that out of the 15 items used to test the abnormal behavioural pattern of the students, 13 of the items had mean score of 3.00 and above each which was strongly accepted to be above criterion mean of 2.50 while only two items had criterion mean of 2.72 and 2.94 respectively for “they have difficulty sitting still, playing quietly or relaxing and they constantly fidget and squirm” respective and are therefore also accepted as the abnormal behavioural pattern of secondary school students living with ADHD in Ikwerre Local Government Area of Rivers State. Therefore the grand mean score of 3.20 showed that the abnormal behavioural pattern of secondary school students living with ADHD in Ikwerre L.G.A include: hyperactivity, talking excessively, impulsivity, trouble staying organized or planning ahead, having quick temper, inattentive and inability to put powerful emotions in check resulting in temper tantrum.

Hypotheses One: There is no significant difference in the factors responsible for ADHD between school location (rural and urban) in Ikwerre Local Government Area.

Table 4: “t-test analysis of factors responsible for attention deficit hyperactivity disorder (ADHD) based on school location.

	School Location	N	Mean	SD	df	t-cal	t-crit	Decision
Factors responsible for ADHD	Urban	192	3.24	0.96	382	2.48	196	Significant
	Rural	192	3.48	0.93				

N = Number;

SD = Standard Deviation;

df = degree of freedom;

t-cal = t-test calculated value;

t-crit = t-test critical value

Table 4 shows “the difference between the mean score rating of factors responsible for attention deficit hyperactivity disorder (ADHD) based on school location among students in urban schools and students in rural schools of Ikwerre L.G.A of Rivers State. The table shows that the mean difference in the responses of students based on school location gave t-cal value of 2.48 and df of 382. Since the t-cal is greater than t-crit; it implies that there is a significant difference in the

factors responsible for ADHD based on school location. Hypothesis 1 (HO₁) is therefore rejected”

Hypothesis Two: There is no significant difference in the factors responsible for ADHD based on gender (male and female) in Ikwerre Local Government Area.

Table 5: t-test analysis of factors responsible for attention deficit hyperactivity disorder (ADHD) based on gender

	Gender	N	Mean	SD	df	t-cal	t-crit	Decision
Factors responsible for ADHD	Male	184	3.04	0.96	382	0.142	196	Not
	Female	200	3.09	1.21				Significant

N = Number;

SD = Standard Deviation;

df = degree of freedom;

t-cal = t-test calculated value;

t-crit = t-test critical value

Table 5 shows “the difference between the mean score rating of factors responsible for attention deficit hyperactivity disorder (ADHD) based on gender, among male students and female students in Ikwerre L.G.A of Rivers State. The table shows that the mean difference in the responses of the students based on gender gave a t-cal value of 0.142 and df of 382. Since the t-cal is lesser than t-crit; it implies that there is no significant difference in the factors responsible for ADHD based on gender. Hypothesis 2 (HO₂) is therefore accepted and retained”

DISCUSSION OF FINDINGS

Strategies employed to curb attention deficit hyperactivity disorder (ADHD) in senior secondary schools in Ikwerre L.G.A

The strategies employed to curb ADHD in secondary schools in Ikwerre L.G.A was investigated. The result showed that there have been no introduction of special needs education teachers to the public secondary schools, as such the management of the disorder has been through guess work by the regular school teachers. In rank order from the 1st to the 10th hierarchy; the findings agreed with psychotherapy counselling of students the use of disciplinary measures, removal of food additives, family counselling and teachers training, cognitive and stimulus reduction, cognitive training of teachers and students, behaviour modification therapy, medications and social skill training. This finding was in order with the research made by Lerner (1993) where it was stated that the management of this disorder involves a combination of method. This includes special education services, behaviour modification, medication management, family counselling and teachers’ training. Agomoh (2012) again agreed with this finding that many authorities also recommended the use of cubicles in the classroom to reduce extraneous or environmental distractions, cognitive training was also recommended for dealing with ADHD.

Factors responsible for ADHD

Research question one considered the factors responsible for ADHD among secondary school students in Ikwerre L.G.A, the result shown using rank order from 1st to 15th test items proved a high extent that lack of conducive learning environment, neurological factors, peer group pressure, hereditary and genetics basis, parental frustrations, premature birth, high intake of sugar and poor parenting problems may have been the underlying factors responsible for ADHD, diseases like epilepsy being the cause, brain injury or head trauma ranked lowest as the factors responsible. This result may not be unconnected to the fact that some excessive alcohol or drugs used by a mother while the child is in the uterus can cause a number of problems and ADHD is one of them just like other sources suggests that it runs in the family as cited in Agomoh (2005). Schwartz (2013) studies on ADHD also show that “prevalence of ADHD increases with hypoxia and prematurity”. In that same line, Agomoh and Kanu (2015) cited that brain dysfunction or malfunctioning of the front lobes of the brain may be a contributory factor to ADHD.

Abnormal behavioural pattern of secondary school students

The research question two determined the behavioural pattern of secondary school students living with ADHD in Ikwerre L.G.A. The result revealed that “some responses of the respondents were very high in general acceptance of abnormal behavioural pattern using rank order from 1st to 15th test items, inattentive, inability to keep powerful emotions in check resulting in angry outburst or temper tantrums, quick temper fuse, difficulty staying still, playing quietly or relaxing, talking excessively, impulsivity, hyperactivity. The result may not be unconnected to the fact that some of the respondents are already living with this disorder in a mild or moderate form especially those who have very often been associated with Disruptive Behavioural Disorder (DBD) or those who often faced disciplinary problems in school” This result is in agreement with that of Lerner (2003) who agreed that “older hyperactive children may be extremely restless and fidgety, they are like to talk too much in class and may constantly fight with friends, siblings and classmates”. However, by adolescents, hyperactivity may no longer present itself. Although the hyperactivity may diminish, other symptoms may appear such as behaviour problems, low self-esteem, inattentiveness or even depression. it also agrees with Ambuabunos (2011) who opined that ADHD may make children to be restless with low frustration tolerance by blowing up and saying things they do not mean and cannot be easily motivated by consequences or punishment, as such they may be more difficult to discipline and may repeat misbehaviour.

In hypothesis one the study focused on the significant difference in factors responsible for ADHD based on school location. The responses showed there is a significant difference in the factors responsible for ADHD based on rural and urban locations which supports the result that nurturing modern homes and environment with clear and consistent structure is crucial to the treatment of ADHD children. For school location, the studies revealed that student from rural settlements are to a large extent more vulnerable to having ADHD than students from urban settlements. This may not be unconnected to the fact that most students in urban locations are more exposed to the existence of this disorder, may have been diagnosed earlier in life and therefore been able to manage the condition much better than those in rural locations. Lerner (2012) in agreement state that “regarding socioeconomic inequities, public health insurance

coverage seem to be associated with a higher prevalence of developmental disabilities; low family income and low maternal education have similar but less significant impacts”.

In hypothesis two, the study focused on the significant difference in factors responsible for ADHD based on gender. The responses showed there is no significant difference in the factors responsible for ADHD based on gender which supports the result by Ambuabunos et al. (2011) who recorded prevalence decline of females to males 5.8% at 6 years and rise to peak of 12.6% among those 10 years of age of ADHD. For gender, there was strong agreement in the findings which reveal the fact that ADHD is more common in male students than in female students which might not be unconnected to the fact that the symptoms are often overlooked in girls than in boys due to their differing symptoms which was in line with Lerner (2012) who agreed in her studies that “ADHD is more common in males than in females, the females with ADHD are more likely to have problem primarily with inattention”. The studies also tallied with Ambuabunos et al. (2011) who recorded prevalence decline of females to males 5.8% at 6 years and rise to peak of 12.6% among those 10 years of age.

CONCLUSION

The study is on the factors responsible for attention Deficit Hyperactivity Disorder (ADHD) among secondary school students in Ikwerre L.G.A from the findings it can be concluded that the entire senior secondary schools in Ikwerre L.G.A have cases of students living with ADHD which reflect remarkably in their Disruptive Behavioural Disorder (DBD) attitude. Some of the factors responsible for this disorder amongst these students are traced to nature and nurture for genetics and environmental influence respectively. Age, gender, socio-economic status and school location are major influences to this disorder. The senior secondary schools do not have special needs education department nor counselling labs, neither do they engage the services of special needs professionals instead they engage the services of older regular teachers in the school in forming disciplinary committees who will handle cases of disruptive behaviours like ADHD using punitive measures which actually escalate the cases and offer more harm than good. ADHD is as prevalent in Nigeria as it is in other parts of the world with more males involved but the symptoms and characteristics changes with age and gender. Although there is no proven way to prevent ADHD; early identification, involvement of special needs educator, psychotherapy, counselling of parents and training of teachers can prevent many of the crises associated with the disorder. As a result teaching methods for students with ADHD used by special education teachers and general education teachers must include managing impulsivity, reducing hyperactivity and stimulus reduction strategy to increase attention.

Recommendations

Based on the findings of the research work, the following recommendations were made:

- Efforts should be made at creating public awareness for ADHD amongst teachers and parents. Increased attention should be paid to the identification and management of such children seen in public schools with the hope of redirecting their social and academic lives;
- School health programs should be conducted from time to time to offer veritable avenue for the identification of such children;

- The Rivers State Government and the Senior Secondary Schools Board (SSSB) Ikwerre L.G.A should work in synergy in training and retraining of staff on ways of handling the disorder in an inclusive school setting;
- Non-governmental agencies and private agencies should be involved in creating awareness and organizing programs where students can be trained as well; and
- The government in collaboration with Ikwerre senior secondary board (SSSB) must ensure the employment and placement of qualified special education teachers, curriculum specialist and other qualified professionals like psychiatrists, psychologists, counsellors alongside general classroom teachers to rural schools to handle cases of this nature.

REFERENCES

- Attention Deficit Hyperactivity Disorder. National Institute of Mental Health. March 2016. Archived from the original on 23 July 2016.
- Agomoh, O. E. (2012). *Understanding and managing students with learning disabilities in regular schools*. Port Harcourt: Kanissi Publishers.
- Agomoh, O. E., & Kanu, S. A. (2015). *Introduction to psychology of special needs children; understanding special needs education*, Port Harcourt: Kanissi Publishers.
- Ambuabunos, E. A., Ofovwe, E. G., & Ibadin, M. O. (2011). Community Survey of Attention Deficit Hyperactive Disorder among Primary School Pupils in Benin City, Nigeria. Department of child health, university of Benin/university of Benin teaching hospital, Benin City, Nigeria
- American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders* (5th ed.). Arlington: American Psychiatric Publishing.
- Bynum, W. F. (2002). The childless father of Eugenics. *Intelligence more nature than nurture? science daily*, 296-472.
- Centres For Disease Control and Prevention (CDC), United State public Health Services, Atlanta, Georgia, improving overall public health; Mar 28, 2017, <https://searchhealthit.com>
- Faraone, S. V. (2011). Ch. 25: Epidemiology of Attention Deficit Hyperactivity Disorder”. In Tsuang, M.T; Tohen, M; Jones, P. *Textbook of Psychiatric Epidemiology* (3rd ed.). John Wiley & Sons.
- Grant, L. M. (1997). *The Hyperactive Child, Attention-Deficit-Hyperactive-Disorder, Treatment*. United States, America, Library of Congress Catalogueing Data.
- Janet, W. (2011). *Learning disabilities, theories, diagnosis and teaching strategies*. 9th edition Boston: Northeastern Illinois University Press.
- Larry, B. S. (1991). *The Misunderstood Child, A Guide for Parents of Children with Learning Disabilities*. 2nd edition. United States, America: Tab Books, Library of Congress Cataloguing Data,
- Lerner, J. W. (1993). *Learning disabilities: Theories, diagnoses and teaching strategies* (6th ed.) Boston: Houghton Mifflin.
- Lerner, P. (2003). Attention Deficit Disorder (ADD) and Attention Deficit Hyperactivity Disorder; A Developmental Approach, [www.add.adhd.org/attention deficit A. DHD html](http://www.add.adhd.org/attention%20deficit%20A.DHD.html)
- National Collaborating Centre for Mental Health (NCCMH, 2009) Attention Deficit Hyperactivity Disorder Diagnoses and Management of ADHD in Children, Young People and Adults, Nice Clinical Guidelines.

National Joint Committee on Learning Disabilities (1998). Operationalizing the NJCLD definition of learning disabilities for ongoing assessments in schools, 21, 186-193.
NIMH (2013). "Attention Deficit Hyperactivity Disorder (Easy-to-Read). National Institute of Mental Health. Archived from the original on 14 April 2016.
Schwartz, A. (2013). "The Selling of Attention Deficit Disorder. The New York Times (14 December 2013).

 © JSRE
